

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S109	4	reserver\$5 with channel and @ad<"19950810"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/25 15:36
S110	1605	GPRS and UAS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/26 12:47
S111	46	GPRS and UAc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/26 12:55
S112	3	("20020147000" "20030073440" "5313653").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/26 12:49
S113	4	("20020126701" "20030040280" "20030050051" "20050037781").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/26 12:50
S114	22	GPRS same sip with client	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/26 12:56
S115	447	GPRS same agent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/26 12:56
S116	89	GPRS same agent and SIP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/26 12:57
S117	529	gateway with agent and SIP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/26 12:58
S118	740	gateway with agent with (user subscriber)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/26 12:58
S119	119	gateway with agent with (user subscriber) and base adj station	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/26 12:58
S120	24	gateway with agent with (user subscriber) and base adj station and @ad<"20010319"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/27 16:14

EAST Search History

S12 1	38	SIP with UAC and @ad<"20010319"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/26 13:06
S12 2	8	("6032043" "6453034" "6477150" "6584093" "6636596" "6678246" "6738390" "6775269").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/26 13:31
S12 3	1	"20020110104"	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/26 14:15
S12 4	0	UAC with sip adj applicant adj server	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/26 14:15
S12 5	250259	UAC with sip adj2adj server	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/26 14:15
S12 6	48	UAC with sip adj2 server	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/26 14:16
S12 7	0	UAC with sip adj2 applicat\$3 adj2 server	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/26 14:16
S12 8	137	sip adj2 applicat\$3 adj2 server	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/26 14:16
S12 9	2	S128 and @ad<"20010319"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/26 15:53
S13 0	78	GPRS with context with activat\$3 and @ad<"20010319"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/26 18:08
S13 1	2	"20020131395"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/26 14:35
S13 2	74	(GPRS SGSN GGSN) with context with activat\$3 with request\$3 and @ad<"20010319"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/27 14:14
S13 3	0	phan near2 tri.xa/ and sip	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/26 15:24
S13 4	6	phan near2 tri.xa. and sip	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/26 15:52

EAST Search History

S13 5	458	sip same (GPRS SGSN GGSN)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/26 18:07
S13 6	19	S135 and @ad<"20010319"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/26 15:53
S13 7	1304	sip and (GPRS SGSN GGSN)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/26 18:07
S13 8	56	S137 and @ad<"20010319"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/26 18:08
S13 9	7	serving with (GPRS SGSN GGSN) with context with activat\$3 with request\$3 and @ad<"20010319"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/27 14:16
S14 0	25	serving with (GPRS SGSN GGSN) with context with activat\$3 and @ad<"20010319"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/27 14:36
S14 1	10	sip with (GPRS SGSN GGSN) and @ad<"20010319"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/27 14:37
S14 2	42	sip with proxy with client and @ad<"20010319"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/27 16:00